

## SPARKULAR FALL SPECIFICATIONS

SPARKULAR FALL is hanging special effects equipment for indoor/outdoor use to generate dazzling silver “waterfall” sparks effects. According to different usage scenarios, operator can self define various types of “water curtain” effects vary from 2m to 7m by use of different types of HC8200.

### Features

- Sparks “waterfall” effects for professional stage
- Fall length from 2-7m with different HC8200
- Up to 13-21min effects duration after fill up
- Easy setup and teardown with multi locations
- DMX/Wireless remote control, can be started and stopped at any time
- Switchable effects mode (Low Level/High Level)

*For safety use, please don't touch sparks with hands or other flammable objects.*

### Specifications

#### Dimension

196 x 208 x 192 mm

#### Weight

6 kg

#### Input

200-240VAC (BT04), 50/60 Hz  
100 -120VAC (BT05), 50/60 Hz

#### Work Power

500W

#### FALL length

2m-7m

#### Casing material

Anti-Flaming ABS

#### Adaptable Truss Size

40-60mm

#### Packing

Single unit: 260 x 235 x 295 mm  
Four units: 545 x 495 x 320 mm  
Flightcase (6 units): 690 x 655 x 550 mm



## CONSUMABLE HC8200 FOR SPARKULAR FALL

HC8200 is granulated alloy which is designed and produced by SHOWVEN, used on SPARKULAR series machine to generate sparks effects. The component are metal, thus ensure the safety during transportation, storage and usage. For different application scenario the consumable for SPARKULAR FALL divided into five types: HC8200 SMALL, HC8200 MEDIUM, HC8200 LARGE, HC8200 LARGE- I ,HC8200 LARGE- II .

### Features

Granulated alloy, non-hazmat for storage;  
DMG tested, can be shipped by air/sea;  
RoHS certified, environmental friendly.

### Specifications

#### Package

200g/bag, Aluminum foil vacuum package.  
12bags/box, 12boxes/carton.






#### Use Time and FALL Length

HC8200	Firing Time/bag	Fall length (Low Level)	Fall length (High Level)
SMALL	14-15min	1.5m	2m
MEDIUM*	13-14min	2m	3m
LARGE	10-12min	3m	4m
LARGE- I *	9-11min	4m	5m
LARGE- II *	8-10min	5m	7m

\*Recommended, with better effects.

#### Effects with different HC8200 type

		
MEDIUM	LARGE-I	LARGE-II
Truss Height:3m	Truss Height: 6m	

## Application Case



Distributor:



Phone: 407-857-8770

Fax: 407-857-8771

Email: [sales@techni-lux.com](mailto:sales@techni-lux.com)

[www.techni-lux.com](http://www.techni-lux.com)