

SIRIUS HRI 280W RO



Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies

Areas of application

- Concert Lighting
- Club & Disco

Product datasheet

Technical data

General product information

| | |
|-----------------------|--|
| Product Number | 54498 |
| Product Name | SIRIUS HRI 280W BULK VS60 60/CS 60/SKU |
| Ordering Abbreviation | SIRIUS HRI 280W RO |
| Brand Name | OSRAM |
| General Description | 280W, Mercury vapor, reflector |
| Application | Moving head fixtures |

Electrical data

| | |
|-----------------|-------|
| Nominal Wattage | 280 W |
| Nominal Voltage | 70 V |
| Current (A) | 4 A |

Light technical data

| | |
|-------------------------|----------|
| Luminous Flux | 11500 lm |
| Working Distance a (mm) | 35.5 mm |
| Color Temperature | 7800 K |
| Color Rendering Index | 78 |
| Average Rated Life | 2000 h |

Physical attributes

| | |
|---------------------------|-----------|
| Bulb Shape | REFLECTOR |
| Length l (mm) | 54.5 mm |
| Length l max. (in) | 2.46 in |
| Diameter d (in) | 2.008 in |
| Diameter d (mm) | 51.00 mm |
| Electrode Gap - cold (mm) | 0.9 mm |

Additional product data




| | |
|--------------------|----------|
| Operating Position | ANY |
| Forced Cooling | Required |

Product datasheet



Detail

Download Data

| File |
|---|
|  Brochures SIRIUS HRI list of lamps and fittings (EN) |
|  Brochures SIRIUS HRI Lamps NAFTA (EN) |
|  Brochures 725184_PI SIRIUS HRI (EN) |

Packaging Information

| Product number | EAN/UPC | Packaging | Quantity | Outside dimensions l x w x h | Gross weight |
|----------------|---------------|---------------------|----------|------------------------------|--------------|
| 54498 | 4008321810342 | Folding box (SKU) | 1 | 3.4 in x 3.4 in x 4.1 in | 0.2 lb |
| 54498 | 4008321810359 | Shipping box (Case) | 2 | 7.3 in x 3.8 in x 4.5 in | 0.6 lb |
| 54498 | 4052899110397 | Folding box (SKU) | 1 | 3.4 in x 3.4 in x 4.1 in | 0.2 lb |
| 54498 | 4052899110403 | Shipping box (Case) | 2 | 7.3 in x 3.8 in x 4.5 in | 0.6 lb |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.

Distributor:



Phone: 407-857-8770

Fax: 407-857-8771

Email: sales@techni-lux.com