

SIRIUS HRI 330W X8



Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies

Areas of application

- Concert Lighting
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	54738
Product Name	SIRIUS HRI 330W X8 2/CS 1/SKU
Ordering Abbreviation	SIRIUS HRI 330W X8
Brand Name	OSRAM
General Description	330 Watts, Mercury short arc, with compact reflector

Electrical data

Nominal Wattage	330 W
Nominal Voltage	75 V

Light technical data

Luminous Flux	18000 lm
Color Temperature	8000 K
Color Rendering Index	85
Average Rated Life	1500 h




Physical attributes

Bulb Shape	REFLECTOR
Diameter d (in)	0.236 in
Diameter d (mm)	5.99 mm
Electrode Gap - cold (mm)	1 mm

Additional product data

Forced Cooling	REQUIRED
----------------	----------

Download Data

File
 Brochures SIRIUS HRI list of lamps and fittings (EN)
 Brochures SIRIUS HRI Lamps NAFTA (EN)
 Brochures 725184_PI SIRIUS HRI (EN)

Packaging Information

Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
54738	4052899140295	Folding box (SKU)	1	3.4 in x 3.4 in x 4.1 in	0.3 lb
54738	4052899140301	Shipping box (Case)	2	7.3 in x 3.8 in x 4.5 in	1 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.

Distributor:



Phone: 407-857-8770
Fax: 407-857-8771
Email: sales@techni-lux.com