

## SIRIUS HRI 330W XL



### Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies

### Areas of application

- Concert Lighting
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	54714
Product Name	SIRIUS HRI 330W XL 1/SKU 2/CS
Ordering Abbreviation	SIRIUS HRI 330W XL
Brand Name	OSRAM
General Description	330 Watts, Mercury short arc, with compact reflector
Application	Moving head fixtures

#### Electrical data

Nominal Wattage	330 W
Nominal Voltage	65 V
Current (A)	5 A

#### Light technical data

Luminous Flux	16500 lm
Working Distance a (mm)	36 mm
Color Temperature	7250 K
Color Rendering Index	71
Average Rated Life	1500 h


#### Physical attributes

Bulb Shape	REFLECTOR
Length l (mm)	63 mm
Diameter d (in)	0.512 in
Diameter d (mm)	56.00 mm
Electrode Gap - cold (mm)	1.3 mm

#### Additional product data

Operating Position	any
Cooling	Forced
Forced Cooling	Required

### Download Data

File	
	Brochures SIRIUS HRI list of lamps and fittings (EN)

## Product datasheet



Brochures  
SIRIUS HRI Lamps NAFTA (EN)



Brochures  
725184\_PI SIRIUS HRI (EN)

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54714	4008321848765	Shipping box (Case)	60	23.6 in x 15.7 in x 6.4 in	14.4 lb
54714	4052899195431	Folding box (SKU)	1	3.4 in x 3.4 in x 4.1 in	0.3 lb
54714	4052899195448	Shipping box (Case)	2	7.3 in x 3.8 in x 4.5 in	0.9 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.

**Distributor:**



Phone: 407-857-8770  
Fax: 407-857-8771  
Email: [sales@techni-lux.com](mailto:sales@techni-lux.com)